



KONCEPT



MEET THE DESIGNERS

Koncept was born in 2002 when industrial designer Peter Ng and his two sons, Kenneth Ng and Edmund Ng, joined forces in order to harness years of manufacturing and industrial design experience.

The Koncept team has since designed a range of products for retail and contract markets. Their lines of pendants, desk lamps, floor lamps, wall sconces and more have significantly influenced the LED lighting industry. Their works have been featured in major press such as TIME Magazine, Oprah Magazine, and Interior Design Magazine. Koncept has earned over 50 international design awards to date, including the Red Dot Design Award, iF Design Award and Good Design Award.

Embracing modern, minimalist lines while maintaining rich functionalities, Koncept's designs strike the perfect balance between form and function.

tangerine

In early 2018, Koncept established its very first charitable program. Tangerine's mission is to raise awareness and funds for Appendix Cancer research. Appendix Cancer, in its different forms, is a relatively rare disease: fewer than 1,000 Americans are diagnosed annually. Due to lack of resources, Oncologists often treat the disease as colon cancer.

The Hillman Cancer Center at the University of Pittsburgh Medical Center contains the only site that has a comprehensive Appendix Cancer research and treatment program. Dr. Mohammed Haroon Asif Choudry, surgical oncologist at UPMC Hillman Cancer Center and an associate professor of surgical oncology, leads this research. Koncept is donating **5% of every orange lamp sold*** directly to Dr. Choudry's research. These efforts are in honor of Koncept team member Tony Quach, who passed away from this disease in October 2017.

Tony Quach

Tony Quach started working at Koncept in October 2009 as a Warehouse Associate. With hard work, great spirit and dedication, Tony was promoted to Warehouse Manager. In March 2016, Tony was diagnosed with Appendix Cancer. Even after multiple surgeries and rounds of chemotherapy, this aggressive form of cancer spread rapidly to other organs. Tony passed away peacefully at home, surrounded by his loved ones, on October 25, 2017. He was just 31 years old.

"Tony was our core team member, our companion, our friend, our brother and our go-to person for almost everything. He provided great leadership and great help to others. He provided solutions to resolve issues for us many times, and not just in his official capacity as Warehouse Manager. Tony possessed great personal character. He was reliable, kind-hearted, funny and honest. Tony was the comedian of our team: he always had great stories and jokes that brought smily faces to our work. Tony was our friend and ally. He worked alongside us and many others to make Koncept a better place. He will forever be part of us, his memory will be remembered, and his love will never die."

-Kenneth Ng, Koncept Designer & Co-Founder

koncept.com/tangerine

* 5% of gross proceeds from every orange lamp sold at dealer NET



KONCEPT

Wall


Enrich the Walls with Light

Designers
Kenneth Ng, Edmund Ng



Ramen wall sconce

Ramen is a playful circular sconce suitable for indoor or outdoor use. At either 9" or 12" in diameter, the magnetically-attached face plates are interchangeable. Users can easily customize to complement the surrounding decor, or just for the sake of an aesthetic change. A special paintable plate opens up even more opportunities for designers. Ramen's bowl-shaped body emits 360° of beautifully diffused light.

Lumens: 1500
 Energy Consumption: 15 W
 Rated Lifespan: 50,000 hours
 Color Temperature: Soft Warm (3,000 K)
 Color Rendering Index (CRI) : 90
 Brightness Adjustability: Compatible with ELV wall dimmers
 Material: Aluminum, plastic
 Safety Rating: C-UL-US Certified
 Warranty: 5 years (1 year for hardwire driver)
 Voltage: 120V
 Standard Plate Finishes: Brass, Chrome, Matte White, Matte Black, Oiled Walnut, Oxford Felt, White Oak, Brushed Nickel, Paintable (white)



*May be unsuitable for outdoor use, particularly in areas with extreme weather.



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.

Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



KONCEPT

Ceiling

360° of Luminosity

Sub pendant

Designers
Kenneth Ng, Edmund Ng

Red Dot Design Award 2019

The Sub Pendant boasts a minimalist profile and emits a soft, warm glow. A continuous line of LED light wraps around the entire piece, allowing this pendant to function as both a task light for worksurfaces and ambient light for ceilings. The Sub is compatible with many ELV wall dimmers. Available as a single pendant or circular configuration of multiple lights, the Sub complements rather than obstructs the aesthetic of its surroundings.


Lumens:	2000 per pendant
Energy Consumption:	48 W per pendant
Rated Lifespan:	50,000 hours
Color Temperature:	Soft Warm (3,000 K)
Color Rendering Index (CRI) :	90+
Brightness Adjustability:	Compatible with ELV wall dimmers
Material:	Aluminum, plastic
Safety Rating:	C-UL-US Certified
Warranty:	5 years
Voltage:	120 V
Standard Finishes:	Matte Black, Silver
Cord/Canopy:	10 ft cord; Cord and canopy match respective body finish

SUB - - SW -


MTB = Matte Black
SIL = Silver

S1 = Single Pendant
C3 = Circular 3
C6 = Circular 6


Sub Pendant (Single)




Sub Pendant C3




Sub Pendant C6



S1 Canopy



C3/C6 Canopy



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



Wall

Linear Light, Mounted

Designers
Kenneth Ng, Edmund Ng

Z-Bar_{wall sconce}

The sleek Z-Bar Wall Sconce can be utilized to highlight artwork, mirror or a framed photo. Mounted solo, it can be appreciated as its own work of modern art. It can be hung horizontally, vertically, even diagonally on a wall or ceiling. The sconce comes in three sizes, the smallest of which can be mounted at the end of the light bar as well as from the middle. The slim LED bar is dimmable and rotatable, giving users freedom to modify the light.


	24"	36"	60"
Lumens:	1,000	1,600	2,000
Energy Consumption:	16 W	24 W	30 W
Rated Lifespan:	50,000 hours		
Color Temperature:	Soft Warm (3,000 K)		
Color Rendering Index (CRI) :	90+		
Brightness Adjustability:	Compatible with many ELV wall dimmers		
Material:	Aluminum, plastic		
Safety Rating:	C-UL-US Certified		
Warranty:	5 years (1 year for hardwire driver)		
Voltage:	120 V		
Standard Finishes:	Brushed Nickel*, Matte Black, Matte White		

*Brushed Nickel not available for 60" model


The Z-Bar Wall Sconce requires some space in the junction box for the transformer to sit in. We recommend that installers use either a 4" octagon box or an at least 1" deep single gang outlet box.

All models come with a rectangular and square mounting plate.


ZBW - 24 - 4 - EM - SW -




ZBW - 60 - 4 - CM - SW -






ZBW - - 4 - CM - SW -




End Mount (24" only)




Center Mount




Square mounting plate



Rectangular mounting plate



All Mounts



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Konzept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



KONCEPT

Ceiling

Linear Light, Suspended

Z-Bar pendant

Designers
Kenneth Ng, Edmund Ng

Best of NeoCon GOLD 2016
iF Design Award 2017
Red Dot Design Award 2017



The award-winning Z-Bar Pendant comes in various standard configurations and sizes. Each LED light bar rotates independently, allowing you to shine light upwards for ambience or downwards for tasks. Designers can create custom configurations using a dedicated web application. Z-Bar Pendant Triangle, Square and Honeycomb are compatible with Koncept's acoustic panels.

Lumens: 600 per 24" light bar* / 400 per 16" light bar
 Energy Consumption: 10 W per 24" light bar / 7 W per 16" light bar
 Rated Lifespan: 50,000 hours
 Color Temperature: 3,000 K
 Color Rendering Index (CRI) : 90
 Brightness Adjustability: Compatible with many ELV wall dimmers**
 Material: Aluminum, plastic
 Safety Rating: C-UL-US Certified
 Warranty: 5 years
 Voltage: 120 V
 Standard Finishes: Matte Black, Matte White, Silver


*3000 lm for single Honeycomb (24") with canopy

**Contact marketing@koncept.com for a list of compatible dimmers. Remote transformers are only compatible with 1-10V dimmers.


Canopy for Z-Bar Pendant Bird, Honeycomb, Triangle, Square




Bird




Square





Triangle




Honeycomb




Crown (Compatible with Remote Transformer only)



Linear (Compatible with Remote Transformer only)



Zig-Zag (Compatible with Remote Transformer only)



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.

Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



Ceiling

Light for Above & Below

Designers
Kenneth Ng, Edmund Ng

Z-Bar pendant *rise*

The *rise* is a three-dimensional addition to the Z-Bar Pendant line. Available in five different geometric configurations, these contemporary and minimalist pendants consist of modular light bars on the top and bottom tiers that independently rotate 360.° Direct the top light bars up to the ceiling and the bottom bars down to enjoy both ambient and task light. Optional acoustic panels are available as an attractive solution to sound absorption.

	18 x 18" Square	26 x 26" Square	50.5 x 50.5" Square	40 x 14" Rect.	56.2" x 14" Rect.
Lumens:	2,100	3,000	8,900	3,000	5,350
Energy Consumption:	40 W	40 W	140 W	40 W	84 W
Rated Lifespan:	50,000 hours				
Color Temperature:	3,000 K				
Color Rendering Index (CRI):	90				
Brightness Adjustability:	Compatible with many ELV wall dimmers				
Material:	Aluminum, Zinc alloy, plastic				
Safety Rating:	C-UL-US Certified				
Warranty:	5 years / 1 year for hardwire driver				
Voltage:	120 V				
Standard Finishes:	Matte Black, Matte White, Silver				

ZBP - - - RR - SW - - - - CNP

54 = 54"/48" light bars

38 = 38"/32" light bars

RR = Rectangular configuration

MWT = Matte White

MTB = Matte Black

SIL = Silver

ZBP - - - RS - SW - - - - CNP

48 = 48"/39" light bars

24 = 24"/13" light bars

16 = 16"/8" light bars


RS = Square configuration

MWT = Matte White


MTB = Matte Black

SIL = Silver


Z-Bar Rise Square




Z-Bar Rise Rectangle



Canopy



Canopy



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Konzept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



Ceiling

Acoustic Panels

Compatible with multiple Z-Bar Pendant models, Koncept's line of acoustic panels are an attractive solution to sound absorption. Panels are available in ten different finishes to complement your room's acoustics and aesthetics. They can be mounted flat onto each pendant or upright along the suspending wires, for a three-dimensional look.

Thickness: 3/8"
 Height (vertical panels): 15" (custom orders up to 48")
 Length/Width: Varies according to pendant (see SKU breakdowns)
 Fire rating: ASTM E-84
 Acoustics: NRC 0.75
 Material: Minimum 50% post-consumer recycled polyester staple fiber
 Standard Finishes: Black Shadow, Berry Red, Charcoal, Concrete, Leaf Green, Light Marble, Mustard, Twilight Blue, Tangerine, White Sand
 Compatible Z-Bar Pendants: Honeycomb, Square, Triangle, *Rise Square** *Rise Rectangle**
 Oeko-Tex Standard 100 compliant
 Fully recyclable

*Vertical acoustic panels not available for this product

Vertical Panels**

P4 - ZBP - _ - LB - _ - _

— 16 = 16" light bar pendant
 — 24 = 24" light bar pendant
 — 48 = 48" light bar pendant

— BLS = Black Shadow
 — BYR = Berry Red
 — CCL = Charcoal
 — CON = Concrete
 — LGN = Leaf Green
 — LTM = Light Marble
 — MST = Mustard
 — TLB = Twilight Blue
 — TNG = Tangerine
 — WTS = White Sand

**Vertical panel SKU represents a single panel.
 Orders should reflect 1 panel per light bar, eg. 3 panels for ZBP Triangle, 4 for ZBP Square.
 Contact sales@koncept.com with questions.

Horizontal Panels

P4 - ZBP - _ - RS - _ - _

— 16 = 16" light bar pendant
 — 24 = 24" light bar pendant
 — 48 = 48" light bar pendant

— RS = Rise Square
 — BLS = Black Shadow
 — BYR = Berry Red
 — CCL = Charcoal
 — CON = Concrete
 — LGN = Leaf Green
 — LTM = Light Marble
 — MST = Mustard
 — TLB = Twilight Blue
 — TNG = Tangerine
 — WTS = White Sand

P4 - ZBP - _ - RR - _ - _

— 38 = 38"/32" light bar pendant
 — 54 = 54/48" light bar pendant

— RR = Rise Rectangle


— BLS = Black Shadow
 — BYR = Berry Red
 — CCL = Charcoal
 — CON = Concrete
 — LGN = Leaf Green
 — LTM = Light Marble
 — MST = Mustard
 — TLB = Twilight Blue
 — TNG = Tangerine
 — WTS = White Sand

P4 - ZBP - _ - _ - _ - _

— 16 = 16" light bar pendant
 — 24 = 24" light bar pendant

— H = Hexagon
 — S = Square
 — T = Triangle

— BLS = Black Shadow
 — BYR = Berry Red
 — CCL = Charcoal
 — CON = Concrete
 — LGN = Leaf Green
 — LTM = Light Marble
 — MST = Mustard
 — TLB = Twilight Blue
 — TNG = Tangerine
 — WTS = White Sand



Concrete



Mustard



Twilight Blue




Tangerine



Black Shadow




Berry Red



Charcoal



White Sand



Leaf Green



Light Marble

KONCEPT



Desk

Floor

Dynamic. Efficient. Flexible.

Splitty

Designers
Kenneth Ng, Edmund Ng

Red Dot Design Award 2018
iF Design Award 2018
Best of NeoCon GOLD 2017
Interior Design Best of Year Honoree 2017

Available as a floor lamp or desk lamp, Splitty gets its name from its unique joint design and is one of the most flexible lights in the Koncept collection. When illuminated, the wide LED head casts an even glow thanks to the fully diffused light panel. Koncept designers perfected the diffused light source with hidden LEDs so that the lamp performs as a radiant ambient light as well as a functional task light. Multiple mounting options for Splitty Desk Lamp can open up work space, and a discreet USB port allows users to charge most phones or tablets. Splitty Desk Lamp is also compatible with a wireless charging Qi base. Splitty Pro Desk Lamp features a 2 Amp USB port and built-in occupancy sensor to maximize energy efficiency.

Lumens: 500
 Footcandles: 117
 Lux: 1259
 Energy Consumption: 5.8 W
 Rated Lifespan: 50,000 hours
 Color Temperature: Warm (3,500 K)
 Color Rendering Index (CRI) : 82
 Brightness Adjustability: Continuous dimming
 Material: Aluminum, plastic
 USB port: Built-in; 1A (Splitty, Splitty Floor) / 2A (Splitty Pro)
 Occupancy Sensor: Built-in (Splitty Pro only)
 Safety Rating: C-UL-US Certified
 Warranty: 5 years
 Voltage: 120V
 Standard Finishes: Silver, Matte Black, Matte Grey*, Matte White*,
 Matte Pacific Blue*, Matte Leaf Green*, Matte Orange*


SPY - W -

- SIL = Silver
 - MTB = Matte Black
 - MGY = Matte Grey*
 - MPB = Matte Pacific Blue*
 - MLG = Matte Leaf Green*
 - MWT = Matte White*
 - MOR = Matte Orange*
 - USB = Splitty
 - PRO = Splitty Pro**
 - DSK = Standard desk base
 - FLR = Standard floor version
 - CLP = Clamp
 - 2CL = Two-piece clamp
 - SLT = Slatwall mount
 - WAL = Wall mount
 - THR = Through table mount
 - GRM = Grommet mount
 - HWS = Hardwired wall mount
 - QCB = Wireless Charging Base


*Finish not available for Splitty Pro

**Splitty Pro not available as a floor lamp


Splitty Floor Lamp



Splitty/Splitty Pro Desk Lamps



Mounting Options for Splitty Desk Lamp***



***Limited finishes available on mounting options.
Visit koncept.com/splitty for more information.

LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from work surface





KONCEPT

Practicality Meets Elegance

Royyo

Designers
Kenneth Ng, Edmund Ng



Red Dot Design Award 2018
Spark Award 2018

Desk

Floor

Royyo adds an elegant flair to any space with its minimal wiring and pleasingly modern design. Its unique silhouette houses complex inner technology for a marriage of form and functionality. Interchangeable base plate options –available in ten metallic, matte, wood veneer or felt finishes–allow users to customize the lamp bases at ease. Royyo Desk Lamp's embedded USB port allows users to charge any USB-compatible device. Achieve unity in design by featuring both desk and floor lamps in your home.

	Royyo Floor	Royyo Desk
Lumens:	780	780
Footcandles:	153	153
Lux:	1646	1646
Energy Consumption:	11 W	11 W
Rated Lifespan:	50,000 hours	
Color Temperature:	Soft Warm (3,000 K)	
Color Rendering Index (CRI) :	90	
Brightness Adjustability:	Continuous dimming	
Material:	Aluminum, plastic	
USB port:	Built-in, 1A (Royyo Desk only)	
Safety Rating:	C-UL-US Certified	
Warranty:	5 years (1 year for hardwire driver in Royyo Pendant)	
Voltage:	120V	
Standard Finishes (body):	Matte Black, Matte White, Silver, Chrome	
Standard Finishes (desk/floor base plates):	Matte Black, Matte White, Silver, Chrome, White Oak, Oiled Walnut, Brass, Oxford Felt, Honeydew Felt, Azure Felt	



LEED Information


Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics for desk/floor lamps: Light source placed 15" away from work surface





KONCEPT

Ceiling

Practicality Meets Elegance


Designers
Kenneth Ng, Edmund Ng

Royyo pendant


Royyo adds an elegant flair to any space with its minimal wiring and pleasing circular design. Its unique silhouette houses complex inner technology for a marriage of form and functionality. Suspend a single Royyo for a minimalist statement, or combine multiple pendants together to make a stunning circular or linear focal point. Royyo Pendant is available in four matte or metallic finishes.

Lumens:	600 per head
Energy Consumption:	11 W per head
Rated Lifespan:	50,000 hours
Color Temperature:	Soft Warm (3,000 K)
Color Rendering Index (CRI) :	90
Brightness Adjustability:	Compatible with ELV wall dimmers
Material:	Aluminum, plastic
USB port:	Built-in, 1A (Royyo Desk only)
Safety Rating:	C-UL-US Certified
Warranty:	5 years (1 year for hardwire driver in Royyo Pendant)
Voltage:	120V
Standard Finishes:	Matte Black, Matte White, Silver, Chrome


Royyo Pendant head




Royyo Pendant Single




Royyo Pendant Linear 5
(Linear 3 & 7 share the same canopy)



Royyo Pendant Circular 6
(Circular 3 shares the same canopy)



Royyo Pendant Circular 19
(Circular 13 shares the same canopy)



- RYP- - SW -
- S1 = Single
 - L3 = Linear 3
 - L5 = Linear 5
 - L7 = Linear 7
 - C3 = Circular 3
 - C6 = Circular 6
 - C13 = Circular 13
 - C19 = Circular 19
- MTB = Matte Black
 - SIL = Silver
 - MWG = Matte White with Gold
 - CRM = Chrome

LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept’s LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants’ productivity, comfort and well-being by providing high-quality lighting.

Koncept’s entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.

Photometrics for desk/floor lamps: Light source placed 15" away from work surface





Desk

Arched Personality


Mr. n

Designers
Kenneth Ng, Edmund Ng


Spark Award 2013
Interior Design Best of Year 2013
Metropolis Likes 2014

Meet the Mr. n family: two arch-shaped table lamps that exude soft, omni-directional light. The smaller of the two lamps, Mr. n, is the original design, and has been featured on numerous movies and tv shows over the years. Mr. n *tall* is double the height and double the brightness of its little brother. Plug your phone or tablet into the built-in USB port to re-charge. A one-finger tap on a touchstrip is all that's needed to make either lamp glow. Hold your finger on the same strip to adjust brightness. Sit Mr. n or Mr. n tall on your desk, bookshelf or table to cast a glow across the room and add a hint of modern quirkiness.


Lumens:	Mr n 250	Mr n tall 600
Energy Consumption:	5 W	13.5 W
USB port:	N/A	Built-in
Standard Finishes:	Metallic Black, Silver	Silver
Rated Lifespan:	50,000 hours	
Color Temperature:	2,700 K	
Color Rendering Index (CRI) :	90	
Brightness Adjustability:	Continuous dimming (press & hold Konzept logo)	
Material:	Aluminum, plastic	
Safety Rating:	C-UL-US Certified	
Warranty:	5 years	
Voltage:	100-240V	




Mr n




Top view



Mr n Tall



Side view



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.



Desk

Your Bright Companion

Mr. GO! lantern

Designers

Kenneth Ng, Edmund Ng

Spark Award 2016

Interior Design Best of Year 2016

iF Design Award 2017

Mr. GO! is a portable lantern comprised of a unique, curved light panel design that doubles as handle. Charge the built-in, powerful batteries using the USB port and enjoy 5-50 hours (depending on the brightness setting) of cordless light. Hang this quirky lamp from an umbrella or tree with the included leather strap. A standard USB output port allows users to charge their compatible devices on the go, making mr. GO! the perfect companion for many occasions.

Lumens:	190
Energy Consumption:	3.5 W
Rated Lifespan	50,000 hours
Color Temperature:	2,700 K
Color Rendering Index (CRI) :	85
Brightness Adjustability:	Continuous dimming
Material:	Aluminum, zinc alloy, plastic
USB port:	Built-in; 1A
Safety Rating:	C-UL-US Certified
Warranty:	1 year
Voltage:	100-240 V
Standard Finishes:	Soft White, Soft Grey, Soft Green, Soft Orange, Soft Blue

NLG - S -


SWT = Soft White

SGY = Soft Grey

SGN = Soft Green

SOR = Soft Orange

SBL = Soft Blue



LEED Information

Integrative Process
To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.
 Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting
To promote occupants' productivity, comfort and well-being by providing high-quality lighting.
 Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.



Wall

Playfully Practical

Gravy wall sconce

Designers
Kenneth Ng, Edmund Ng

Spark Award 2015
iF Design Award 2016

The Gravy Wall Sconce is a playful, customizable and highly functional piece. The sconce's head swivels back and forth and rotates 360°. As a result, it can be enjoyed as an ambient light or task light. Touch the center of the LED head to power on/off and hold it to dim. Choose between plug-in or hardwire versions to suit your mounting capabilities. The magnetically attached surface plates are interchangeable, enabling users to select painted finishes, wood veneers, metal or fabric to match their interior space.

Lumens: 320
 Energy Consumption: Plug-in: 4.5 W / Hardwire: 5.8 W
 Rated Lifespan: 50,000 hours
 Color Temperature: 2,700 K
 Color Rendering Index (CRI) : Plug-in: 83 / Hardwire: 94
 Brightness Adjustability: Continuous Dimming
 Material: Zinc alloy, plastic
 Safety Rating: C-UL-US Certified
 Warranty: 5 years (1 year for hardwire driver)
 Voltage: Plug-in: 100-240 V / Hardwire: 120 V
 Standard Finishes (Body): Matte White, Silver, Chrome, Metallic Black
 Standard Finishes (Face Plate): Matte White, Silver, Chrome, Metallic Black, Oiled Walnut (Veneer), White Oak (Veneer), Matte Orange, Matte Red, Matte Yellow, Matte Hot Pink, Matte Blue, Matte Green, Oxford (Felt), Honeydew (Felt), Azure (Felt).

- GRW-S-
- MWT = Matte White


SIL = Silver

CRM = Chrome

MBK = Metallic Black
- MWT = Matte White
- SIL = Silver
- CRM = Chrome
- MBK = Metallic Black
- OWT = Oiled Walnut
- WOK = White Oak
- MOR = Matte Orange
- MRD = Matte Red
- MYW = Matte Yellow
- MHP = Matte Hot Pink
- MBL = Matte Blue
- MGN = Matte Green
- OXF = Oxford (Felt)
- HDF = Honeydew (Felt)
- AZF = Azure (Felt)

HW = Hardwire

PI = Plug in



Mounting Options/Accessories (for plug-in version only)



LEED Information


Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.

Photometrics: Light source placed 15" away from work surface



KONCEPT



Desk

Contemporary Warmth

Gravy desk lamp


Designers
Kenneth Ng, Edmund Ng

Good Design Award 2019
Spark Award 2013

Invite the warmth of wood and light to your home or office. Gravy's head emits warm white light and swivels 360.° The wood bar slides back and forth to provide adjustable light placement. This striking combination of real wood, aluminum and a braided fabric cord is perfect in any setting.

Lumens:	275
Footcandles:	100
Lux:	1076
Energy Consumption:	6 W
Rated Lifespan:	50,000 hours
Color Temperature:	Warm: 3,500 K
Color Rendering Index (CRI) :	85
Brightness Adjustability:	Continuous dimming
Material:	Aluminum, plastic
Safety Rating:	C-UL-US Certified
Warranty:	5 years
Voltage:	100-240 V
Standard Finishes:	Maple/Silver, White Oak/Matte White, Walnut/Matte White
Cord:	Braided

Maple/Silver; White cord	— GR1-W-MPW-SIL-DSK
White Oak/Matte White; Blue cord	— GR1-W-WOB-MWT-DSK
Oiled Walnut/Matte White; Red cord	— GR1-W-WNR-MWT-DSK



Finishes/Cord Color




LEED Information

Integrative Process
To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.
 Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting
To promote occupants' productivity, comfort and well-being by providing high-quality lighting.
 Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 12.75" away from work surface



KONCEPT



The Ultimate Minimalist

Lady7

Designers
Kenneth Ng, Edmund Ng


Desk

Floor


Good Design Award (Japan) 2014
Spark Award 2014
Interiors & Sources Readers' Choice 2014
iF Design Award 2015

Designed with a wispy-thin silhouette, Lady7 emits a beautifully diffused, linear light. This timeless piece is available as a desk lamp or floor lamp. The body features a telescopic mechanism to adjust its height. The light is dimmable and its color tunable from cool to warm. With its contemporary, clean lines, Lady7 is a gorgeous task light for any interior.


Lumens:	300
Footcandles:	100
Lux:	1080
Energy Consumption:	6.5 W. 9 hour auto-shutoff timer.
Rated Lifespan:	50,000 hours
Color Temperature:	Variable from 2,700 K to 4,000 K
Color Rendering Index (CRI) :	83
Brightness Adjustability:	Continuous dimming (touchstrip)
Material:	Aluminum, plastic
USB port:	Built-in; 1A
Safety Rating:	C-UL-US Certified
Warranty:	5 years
Voltage:	120V
Standard Finishes:	Matte Red, Matte White, Metallic Black, Silver



Lady7 Desk Lamp



Lady7 Floor Lamp



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from work surface





KONCEPT

Light Defying Gravity

Equo

Equo is a willowy sculpture functioning as an LED desk lamp or floor lamp. The lamp has a streamlined counterweight design for feather-light adjustability. One finger is all you need to adjust the floating arm's position, and the tilting head stays at the angle you set. When the best in design meets clever engineering, the result is Equo, in all its elegance.

Designers
Peter Ng, Kenneth Ng,
Edmund Ng

iF Design Award 2012
Interior Design Best of Year 2011
Good Design Award (Japan) 2011
Benelux Office Products Award 2011
Bloom Award 2011
Red Dot Design Award 2011
Next Generation Luminaires 2010
Spark Award 2010
Good Design Award (Chicago) 2010
ADEX Platinum Award 2010

Desk

Floor

Lumens: 360
 Energy Consumption: 6 W
 Rated Lifespan: 50,000 hours
 Color Temperature: 4,500 K / 3,500 K
 Color Rendering Index (CRI): 85
 Brightness Adjustability: Continuous dimming
 Material: Aluminum, plastic
 Safety Rating: C-UL-US Certified
 Warranty: 5 years
 Voltage: 120 V
 Standard Finishes: Black, Chrome,* Orange, Silver

*Chrome finish available on warm light (3,500 K) model only

ELX-A-

CD = Cool Light (4,500 K)
 WD = Warm Light (3,500 K)



BLK = Black
 CRM = Chrome*
 ORG = Orange
 SIL = Silver

DSK = Desk Lamp
 FLR = Floor Lamp



Occupancy sensor*
(P7-02-OCC01A)

*Sold separately



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Light source placed 15" away from surface



KONCEPT



Endless Possibilities

Mosso pro

Designers
Kenneth Ng, Edmund Ng

Best of NeoCon GOLD 2013
Next Generation Luminaires 2014

Desk

Floor

Available as a floor lamp or desk lamp, Mosso Pro delivers a phenomenal 99 lumens per watt efficiency. Change light temperature from warm to cool and anything in between. An intuitive built-in touchstrip allows for effortless dimming. A built-in occupancy sensor ensures no energy is wasted lighting up an empty space. Mosso Pro Floor features a USB port on the lower body, and Mosso Pro Desk comes standard with a USB charging base. A wireless charging base is also available for Qi-compatible devices.


Lumens:	540
Footcandles:	103
Lux:	1108
Energy Consumption:	5.5 W
Rated Lifespan:	50,000 hours
Color Temperature:	Variable from 2,700 to 5,000 K
Color Rendering Index (CRI) :	90
Brightness Adjustability:	Continuous dimming
Material:	Aluminum, plastic
USB port:	Built-in (on Mosso Pro Floor and Mosso Pro Desk with standard base), 1A
Occupancy Sensor:	Built-in
Safety Rating:	C-UL-US Certified
Warranty:	5 years
Voltage:	100-240 V
Standard Finishes:	Metallic Black, Silver, White

AR2001-


— MBK = Metallic Black
— SIL = Silver
— WHT = White

— USB = USB Desk Base
— QCB = Wireless Charging Base
— PWD = Power Base
— CLP = One-piece Desk Clamp
— 2CL = Two-piece Desk Clamp
— THR = Through-table Mount
— HWS = Hardwire Wall Mount
— SLT = Slatwall Mount
— WAL = Wall Mount
— GRM = Grommet Mount
— FLR = Floor Lamp

Mosso Pro Floor Lamp



Desk Lamp Mounting Options*



*Limited finishes available on mounting options

LEED Information


Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from surface





KONCEPT

Linear

Direct Your Light

Sobre task light

Designers

Peter Ng, Kenneth Ng, Edmund Ng

Next Generation Luminaires 2013


Best of NeoCon Silver 2012

Sobre rises above your work surface to provide both ambient and task light. The LED light bar rotates to shine directly down onto your desk, or up for beautiful ambient light. Ideal for long tables or public areas, multiple Sobre units can be connected together. Sobre mounts onto your desk via clamp or through-table mount. An occupancy sensor and dimmer control is available separately.

Lumens: 175 per ft
Energy Consumption: 3.6 W per ft
Footcandles: 87
Lux: 936
Rated Lifespan: 50,000 hours
Color Rendering Index (CRI) : 90
Brightness Adjustability: Continuous dimming*
Material: Aluminum, plastic
Occupancy Sensor: Available separately
Safety Rating: C-UL-US Certified
Warranty: 5 years
Voltage: 100-240 V

*Occupancy sensor with dimmer control available separately

Photometrics: SF1-36 light source placed 18" away from work surface




Sobre Options

Additional lead time/charges may be applied to non-stocked options

Sobre	Light Bar Length (in)	Additional Light Bar	Height	Light Temperature (K)	Finish	Mount	Power/Dimmer Control
SF1	26	+ length	19*	2,700	Silver* (SIL)	Through-table* (THR)	No Control Unit* (NCU)
	31	if a second light bar (36") is needed, write "+36". If a third light bar (36") is needed, put another "+36" and so on**.	Enter the desired height in inches of the standing bar from above the mount, eg. "21".	3,000	Metallic Black* (MBK)	Desk Clamp* (2CF)	Occupancy Sensor / Dimmer Control* (ODC)
	36*			3,500*	White (WHT)		
	46*			4,000	Matte Black (MTB)		
	51			4,500	Matte White (MWT)		
	56	If no additional light bar is needed, skip this step.		5,000			
	61						
	66						
SF1							

Order example: SF1 - 26 + 26 - 19 - 4500 - MTB - 2CF - ODC

*standard stocked option
**for info on maximum connected units, contact sales@koncept.com



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.



KONCEPT

Floor

Enrich Your Space with Color

Tono floor lamp


Designers
Kenneth Ng, Edmund Ng

Best of NeoCon GOLD 2013
Good Design Award (Japan) 2013


The ultimate mood light, Tono gently transitions through 1,500 different colors. A simple touch will hold your preferred color. Rotate the body towards the wall for a soft, ambient glow, or directly out into the room for a dramatic wash of color. Tono is for those who crave the non-traditional.

Lumens: 600
Energy Consumption: 18 W
Rated Lifespan: 50,000 hours
Color Temperature: From 2,700 K to 8,000 K
Brightness Adjustability: Continuous dimming (touchstrip)
Material: Aluminum, plastic
Safety Rating: C-UL-US Certified
Warranty: 2 years
Voltage: 100-240 V
Standard Finish: White

MC1-WHT-FLR



KONCEPT



Efficiency in Light

UCX Pro

Linear

Designers
Kenneth Ng, Edmund Ng

Best of NeoCon GOLD 2015
Buildings Product Innovations 2015

UCX Pro maintains the emphasis on ultra-high energy efficiency and sleek, minimalist design that characterize Koncept products. Remotely control the color and brightness settings with the optional wifi module and smartphone app. Schedule your light to automatically change in intensity and light color throughout the day, synchronizing with your circadian rhythm. Connect multiple units to brighten larger spaces. Includes magnetic and screw mounts.


Maximum Chained Units:	UCX-19	UCX-27	UCX-37
Lumens:	4	3	2
Footcandles:	760	1140	1672
Lux:	130	171	246
Energy Consumption (per luminaire):	1399	1841	2648
System Power:	8.64 W	13 W	18.7 W
Rated Lifespan	10.5 W	15.5 W	22.5 W
Color Temperature:	50,000 hours		
Color Rendering Index (CRI) :	Variable from 2,700K to 5,000 K		
Brightness Adjustability:	90		
Material:	Continuous dimming		
Safety Rating:	Aluminum, plastic		
Warranty:	C-UL-US Certified		
Voltage:	5 years		
Standard Finish:	100-240V		
	Silver		

UCX- -SIL -


19 = 19.45" length
27 = 26.81" length
37 = 36.61" length

1PK = (1) luminaire + standard adaptor
2PK = (2) luminaires, 30" daisy chain cord + standard adaptor
3PK = (3) luminaires, (2) 30" daisy chain cord + large adaptor
4PK = (4) luminaires, (3) 30" daisy chain cord + large adaptor



UCX-19



UCX-27



UCX-37



Tilting motion

Optional Accessories



Male to male connector



Occupancy sensor



Wifi module



30" / 12" daisy chain cord

LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 18" away from work surface. Graph represents 5,000 K light.





Floor

Sleek, Directable Light

Designer
Peter Ng

Z-Bar floor lamp

Z-Bar Floor is an ultra-slim and flexible floor lamp that complements any interior décor. For ambient light, rotate the lamp head to face the ceiling or wall. For reading light, pull the LED head down and mid-body down to the desired level. Finished with the light? Fold the LED head against the body for a slim, sculptural silhouette.

Lumens:	475
Footcandles:	165
Lux:	1776
Energy Consumption:	9.5 W
Rated Lifespan:	50,000 hours
Color Temperature:	Cool: 4,500 K / Warm: 3,500 K
Color Rendering Index (CRI) :	85
Brightness Adjustability:	Continuous dimming (touchstrip)
Material:	Aluminum, plastic
Occupancy Sensor:	Sold separately
Safety Rating:	C-UL-US Certified
Warranty:	5 years
Voltage:	100-240V
Standard Finishes:	Metallic Black, Silver, White*


*Z-Bar Floor warm light model only

- AR5000- - - -FLR
- CD = Cool White Light

WD = Warm White Light
- MBK = Metallic Black

SIL = Silver

WHT = White*
- *Warm light model only



LEED Information


Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from work surface





KONCEPT

Desk



Advanced Simplicity

Designer
Peter Ng

Z-Bar Solo


A nod to the original Z-Bar, Z-Bar Solo is a sleek solution to lighting your space. Z-Bar Solo and its smaller counterpart, Z-Bar Solo Mini, offer flexibility, dimming, a choice of warm or cool light temperatures, energy efficiency, multiple mounting options and more, all in a compact design.

	Z-Bar Solo	Z-Bar Solo Mini
Lumens:	400	320
Footcandles:	130	115
Lux:	1399	1238
Energy Consumption:	8.5 W	6.5 W
Rated Lifespan:	50,000 hours	
Color Temperature:	Cool (4,500 K) / Warm (3,500 K)	
Color Rendering Index (CRI) :	85	
Brightness Adjustability:	Continuous dimming (touchstrip)	
Material:	Aluminum, plastic	
Occupancy Sensor:	Sold separately	
Safety Rating:	C-UL-US Certified	
Warranty:	5 years	
Voltage:	100-240V	
Standard Finishes:	Metallic Black, Silver	




- AR
- 1000 = Z-Bar Solo
 - 1100 = Z-Bar Solo Mini
 - CD = Cool White Light
 - WD = Warm White Light
 - MBK = Metallic Black
 - SIL = Silver
 - DSK = Desk Base
 - CLP = Clamp (one-piece)
 - 2CL = Two-piece Clamp
 - SLT = Slatwall Mount
 - WAL = Wall Mount
 - GRM = Grommet Mount
 - THR = Through-table Mount
 - QCB = Wireless Charging Base
 - PWD = Power Base**
 - HWS = Hardwire Wall Mount


Mounting Options* / Accessories



Desk base
(MT-02-D001
or
MT-02-D002)



Wireless Charging Base
(MT-02-D003
or
MT-02-D010)



Power Base with AC outlet & USB port**
(MT-02-D007)



Two-piece clamp
(MT-01-C004)



Clamp (one-piece)
(MT01C3)




Through-table mount
(MT01T1)




Hardwire Wall Mount
(MT-01-W002)



Slatwall mount
(MT-01-S004)



Wall mount
(MT01W1)



Grommet mount
(MT-01-G001)



Occupancy sensor
(P7-01-OCC01A)

*Limited finishes available on mounting options

** Z-Bar Solo only

LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.


Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

Koncept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Koncept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from work surface



KONCEPT



Desk

A Modern Lighting Icon

Z-Bar

Designer
Peter Ng


Interior Design Magazine's Best of Category 2006
Permanent display at Die Neue Sammlung, Munich
TIME Magazine's Best Inventions of the Year 2007

The Z-Bar collection broke the mold for desk and floor lamp design and introduced the world to Koncept's contemporary designs. The traditional bulb-and-shade lamp format was abandoned and the result was a flexible, streamlined design. The three-bar silhouette has become iconic in the LED lighting design industry. With several sizes to choose from, there's a Z-Bar for every need.


	Z-Bar	Z-Bar Slim	Z-Bar Mini
Lumens:	475	400	320
Footcandles:	165	130	115
Lux:	1776	1399	1238
Energy Consumption:	9.5 W	8.5 W	6.5 W
Rated Lifespan:	50,000 hours		
Color Temperature:	Cool: 4,500 K / Warm: 3,500 K		
Color Rendering Index (CRI) :	85		
Brightness Adjustability:	Continuous dimming (touchstrip)		
Material:	Aluminum, plastic		
Occupancy Sensor:	Sold separately		
Safety Rating:	C-UL-US Certified		
Warranty:	5 years		
Voltage:	100-240V		
Standard Finishes:	Metallic Black, Silver, White*, Red*, Orange*, Blue*, Green*, Purple*		

*Z-Bar Mini Warm Light Models Only



Z-Bar Desk Lamp



Z-Bar Mini Desk Lamp



Z-Bar Slim Desk Lamp




- DSK = Desk Base
- CLP = One-piece Clamp
- 2CL = Two-piece Clamp
- SLT = Slatwall Mount
- WAL = Wall Mount
- GRM = Grommet Mount
- THR = Through-Table Mount
- QCB = Wireless Charging Base
- PWD = Power Base**
- HWS = Hardwire Wall Mount

*Z-Bar Mini Warm Light Models Only

**Z-Bar, Z-Bar Slim Only

Mounting Options/Accessories



*Limited finishes available on mounting options

LEED Information


Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Konzept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Konzept's portable task lighting products provide more than three lighting levels that occupants can easily adjust to suit their needs. Furthermore, all Konzept lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provide the opportunity to reduce overhead lighting.

Photometrics: Light source placed 15" away from work surface



Model	Model / Part Number	Accessories	Model / Part Number
Equo	ELX-A- U-XXX-ZZZ	Base for Z-Bar/Z-Bar Slim/Z-Bar Solo/Mosso Pro	MT-02-D001- YYY
Gravy (Walnut/Matte White)	GR1-W-WNR-MWT-DSK	Mini Base for Z-Bar Mini/Z-Bar Solo	MT-02-D002- YYY
Gravy (White Oak/Matte White)	GR1-W-WOB-MWT-DSK	Wireless Charging Qi Base for Z-Bar/Z-Bar Slim/Z-Bar Solo/Mosso Pro	MT-02-D003- TTT
Gravy (Maple/Silver)	GR1-W-MPW-SIL-DSK	Wireless Charging Qi Base for Z-Bar Mini/Z-Bar Solo Mini/Splitty	MT-01-D010- TTT
Gravy Wall Sconce	GRW-S- III-GGG-HH	Z-Bar Floor Base	MT-03-F002- YYY
Lady7	L7- SSS-ZZZ	Equo Desk Base	MT-05-D001- XXX
Mosso Pro	AR2001- YYY-ZZZ	Equo Floor Base	MT-06-F001- XXX
Mr. n	NL1-S- YYY -DSK	Clamp (One-piece)	MT01C3- YYY
Mr. n Tall	NL2-S-SIL-DSK	Clamp (Two-piece)	MT-01-C004- YYY
mr. GO!	NLG-S- JJJ	Wall Mount	MT01W1- YYY
Ramen	RMW- QQ-SW-GGG-HW	Slatwall Mount	MT-01-S004- YYY
Royyo Desk	RYO-SW- LLL-KKK -DSK	Hardwire Wall Mount	MT-01-W002- YYY
Royyo Floor	RYO-SW- LLL-KKK -FLR	Grommet Mount	MT-01-G001
Royyo Pendant	RYO- MM-SW-LLL	Through-Table Mount	MT01T1
Sobre	SF1- NN-19-3500-YYY-AAD-AAE	Tilttable Two-Piece Clamp Mount for Sobre	MT-13-C002- YYY
Splitty	SPY-W- OOO -USB- ZZZ	Finish plate set for Gravy Wall Sconce	P4-GRW- GGG
Splitty Floor	SPY-W- OOO -USB-FLR	Finish plate set for Royyo Desk	P4-RYODSK- KKK
Splitty Pro	SPY-W- OOO -PRO- ZZZ	Finish plate set for Royyo Floor	P4-RYOFLR- KKK
Sub Pendant	SUB- AB-SW-BBB	Occupancy Sensor for AR series (Z-Bar & Mosso Pro)	P7-01-OCC01A- YYY
Tono	MC1-WHT-FLR	Occupancy Sensor for ELX-A series (Equo)	P7-02-OCC01A- XXX
UCX Pro	UCX- RR -SIL	Occupancy Sensor for UCX Pro	P7-08-OCC01A-SIL
Z-Bar	AR3000- UD-YYY-ZZZ	Wifi Module for UCX Pro	P7-08-WIFI01A-SIL
Z-Bar Slim	AR3200- UD-YYY-ZZZ	Male-to-Male Connector for UCX Pro	P6-08-D0096A-1
Z-Bar Mini	AR3100- UD-AAC-ZZZ	Daisy Chain Cord (30", straight plug) for UCX Pro	P6-08-D3096A-1
Z-Bar Floor	AR5000- UD-YYY -FLR	Daisy Chain Cord (12", straight plug) for UCX Pro	P6-08-D1296A-1
Z-Bar Solo	AR1000- UD-YYY-ZZZ	Transformer (24 V, 0.5 A, straight plug) for AR and ELX series	P9-240050A-1-US
Z-Bar Solo Mini	AR1100- UD-YYY-ZZZ	Standard Transformer (24 V, 1 A, right-angle plug)	P9-240100A-2-US
Z-Bar Pendant	ZBP- CC-D-SW-EEE -CNP	Large Transformer (24 V, 2 A, right-angle plug)	P9-240200A-2-US
Z-Bar Pendant Rise	ZBP- CC-VV-SW-EEE -CNP	Hardwire Transformer	P9-240340A-0-HI
Z-Bar Wall Sconce	ZBW- WW-4-AA-SW-BBB		

Legend

AA = Z-Bar Wall Sconce Mount

EM = End Mount*

CM = Center Mount

*24" only

AB = Sub Pendant Configurations

S1 = Single Pendant

C3 = Circular with 3 Pendants

C6 = Circular with 6 Pendants

AAC = Z-Bar Mini Finishes

MBK = Metallic Black

SIL = Silver

WHT = White*

RED = Red*

ORG = Orange*

BLU = Blue*

GRN = Green*

PUR = Purple*

*Warm light model only

AAD = Sobre Mounting Options

THR= Through-table Mount

2CF = 2-piece Desk Clamp

AAE = Sobre Control Options

ODC= Occupancy Sensor/Dimmer Control

NCU = No Control Unit

BBB = Z-Bar Wall Sconce/Sub Finishes

MTB = Matte Black

MWT = Matte White

BRN = Brushed Nickel*

*Z-Bar Wall Sconce only

CC = Z-Bar Pendant Light Bar Sizes

16 = 16" Z-Bar Pendant/Rise Light Bar

24 = 24" Z-Bar Pendant/Rise Light Bar

48 = 48" Z-Bar Pendant/Rise Light Bar

38 = 38" Z-Bar Pendant Rise Rectangle Light Bar

54 = 54" Z-Bar Pendant Rise Rectangle Light Bar

D = Z-Bar Pendant Configurations

B = "Bird" (4 light bars)

S = "Square" (4 light bars)

H = "Honeycomb" (6 light bars)

T = "Triangle" (3 light bars)

EEE = Z-Bar Pendant Finishes

SIL = Silver

MTB = Matte Black

MWT = Matte White

FFF = Z-Bar Pendant Power Source

CNP = Canopy

RTM = Remote Transformer

GGG = Gravy Wall/Ramen Plate Finish

MBK = Metallic Black*

SIL = Silver*

CRM = Chrome

OWT = Oiled Walnut

WOK = White Oak

MWT = Matte White

MOR = Matte Orange*

MRD = Matte Red*

MYW = Matte Yellow*

MHP = Matte Hot Pink*

MBL = Matte Blue*

MGN = Matte Green*

MTB = Matte Black**

OXF = Oxford (Felt)

HDF = Honeydew (Felt)*

AZF = Azure (Felt)*

BRS = Brass**

BNI = Brushed Nickel**

PTB = Paintable**

*Gravy Wall Sconce only

**Ramen Wall Sconce only

HH= Gravy Wall Power Source

PI = Plug-in

HW = Hardwired

III = Gravy Wall Body Finishes

MBK = Metallic Black

SIL = Silver

CRM = Chrome

MWT = Matte White

JJJ = mr. GO! Finishes

SWT = Soft White

SGN = Soft Green

SBL = Soft Blue

SOR = Soft Orange

SGY = Soft Grey

KKK = Royyo Desk/Floor Plate Finishes

MTB = Matte Black

BRS = Brass

SIL = Silver

CRM = Chrome

OWT = Oiled Walnut

WOK = White Oak

MWT = Matte White

OXF = Oxford (Felt)

HDF = Honeydew (Felt)

AZF = Azure (Felt)

LLL = Royyo Finishes

MTB = Matte Black

CRM = Chrome

SIL = Silver

MWT = Matte White

MWG = Matte White with Gold*

*Royyo Pendant only

MM = Royyo Pendant Configurations

S1 = Single
L3 = Linear 3
L5 = Linear 5
L7 = Linear 7
C3 = Circular 3
C6 = Circular 6
C13 = Circular 13
C19 = Circular 19

NN = Sobre Lengths

36 = 36"
46 = 46"

OOO = Splitty Finishes

MOR = Matte Orange*
MWT = Matte White*
MTB = Matte Black
MLG = Matte Leaf Green*
MPB = Matte Pacific Blue*
SIL = Silver
MGY = Matte Grey*
*N/A on Splitty Pro

PPP = Splitty Versions

USB = Standard
PRO = Splitty Pro

QQ = Ramen Sizes

09 = 9" diameter
12 = 12" diameter

RR = UCX Pro 19, 27, 37

19 = 84 LEDs (19.45")
27 = 126 LEDs (26.81")
37 = 182 LEDs (36.61")

SSS = Lady7 Finishes

MWT = Matte White
MRD = Matte Red
MBK = Metallic Black

TTT = Qi Base Finishes

MBK = Metallic Black
MTB = Matte Black*
SIL = Silver
WHT = White**
* 7.5" only
** 9" only

U = C, W

C = Cool Light
W = Warm Light

V V = Z-Bar Pendant Rise Configurations

WW = Z-Bar Wall Sconce size

24 = 24"
36 = 36"
60 = 60"

XXX = Equo Finishes

BLK = Black
SIL = Silver
ORG = Orange
CRM = Chrome*
* Warm light model only

YYY = Z-Bar, Sobre, Mosso Pro Finishes

MBK = Metallic Black
SIL = Silver
WHT = White*
*Mosso Pro only

ZZZ = Mounting/Base Options

DSK = Desk Base
CLP = Clamp (One-Piece)*
2CF = Two-Piece Clamp*
SLT = Slatwall Mount*
WAL = Wall Mount*
GRM = Grommet Mount*
THR = Through-Table Mount*
QCB = Wireless Charging Base*
FLR = Floor Lamp
HWS = Hardwire Wall Mount*
PWD = Power Base**

* N/A for Equo

** N/A for Equo, Z-Bar Mini, Z-Bar Solo Mini. Splitty



   
/konceptlights